Sarety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ARMOR VARNISH** 24-03-14

1.1	Product identifier: ARMOR VARNISH 24-03-14
	Other means of identification:
	Non-applicable
L <b>.2</b>	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Surface treatment
	Uses advised against: All uses not specified in this section or in section 7.3
L <b>.3</b>	Details of the supplier of the safety data sheet:
	Evochem S.A. Tzaverdella Place 133 41 Phili - Attica - Greece Phone: 0030 210 5590460 , 0030 210 5590155 - Fax: 0030 210 6254737 , 0030 210 5590244 info@evochem.gr http://www.evochem.gr
L.4	Emergency telephone number: National Poisoning Center 2107793777
SECT	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Hazard statements:
	Non-applicable
	Precautionary statements:
	Non-applicable
	Supplementary information:
	EUH205: Contains epoxy constituents. May produce an allergic reaction. EUH208: Contains 1,2-benzisothiazol-3(2H)-one, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2 -isothiazol-3-one (3:1). May produce an allergic reaction. <b>UFI:</b> G4V0-60EF-1008-VHGV
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.
	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1	Substance: Non-applicable
3.2	Mixture:
	Chemical description: Aqueous mixture composed of additives, aggregates, coalescents, pigments and plasticizers
	Components:
	In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:
	······

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

#### ARMOR VARNISH 24-03-14

Identification	Chemical name/Classification	Concentrat
CAS: 34590-94-8 EC: 252-104-2	Dipropylene Glycol Methyl Ether <sup>(1)</sup> Not classified	
Index: Non-applicable REACH: 01-2119450011-60- XXXX	Regulation 1272/2008	2,4 - <4,9
CAS: 126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol <sup>(2)</sup> Self-classified	
EC: 204-809-1 Index: Non-applicable REACH: 01-2119954390-39- XXXX	Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Sens. 1B: H317 - Danger	0,09 - <0, %
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one <sup>(2)</sup> Self-classified	
EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60- XXXX	Regulation 1272/2008         Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<0,09 %
CAS: 55965-84-9 EC: Non-applicable	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- ATP ATP13 3-one (3:1) <sup>(2)</sup>	
Index: 613-167-00-5 REACH: Non-applicable	Regulation 1272/2008         Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,09 %
CAS: 55965-84-9 EC: Non-applicable	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) <sup>(2)</sup>	
Index: 613-167-00-5 REACH: Non-applicable	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger	<0,09 %

(1) Substance with a Union workplace exposure limit

<sup>(2)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

Evochem

S

	Identification			M-factor
1,2-benzisothiazol-3(2	H)-one	Acute	e	10
CAS: 2634-33-5	EC: 220-120-9	Chron	nic	1
reaction mass of 5-ch	loro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	e	100
CAS: 55965-84-9	EC: Non-applicable	Chroi	nic	100
reaction mass of 5-ch	loro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	e	100
CAS: 55965-84-9	EC: Non-applicable	Chroi	nic	100

Identification	Specific concentration limit
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens. 1 - H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1C - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,6: Eye Dam. 1 - H318 0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1B - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,06: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



### ARMOR VARNISH 24-03-14

### SECTION 4: FIRST AID MEASURES (continued)

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

#### 6.3 Methods and material for containment and cleaning up:

#### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ARMOR VARNISH 24-03-14

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:35 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification			Occupa	ational exposure lin	nits
Dipropylene Glycol Methyl Ether				IOELV (8h)	50 ppm	308 mg/m <sup>3</sup>
CAS: 34590-94-8 EC: 252-104-2				IOELV (STEL)		

#### DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 34590-94-8	Dermal	Non-applicable	Non-applicable	283 mg/kg	Non-applicable
EC: 252-104-2	Inhalation	Non-applicable	Non-applicable	308 mg/m <sup>3</sup>	Non-applicable
2,4,7,9-tetramethyldec-5-yne-4,7-diol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 126-86-3	Dermal	1,5 mg/kg	Non-applicable	0,5 mg/kg	Non-applicable
EC: 204-809-1	Inhalation	5,28 mg/m <sup>3</sup>	Non-applicable	1,76 mg/m <sup>3</sup>	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m <sup>3</sup>	Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# ARMOR VARNISH 24-03-14

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether	Oral	Non-applicable	Non-applicable	36 mg/kg	Non-applicable
CAS: 34590-94-8	Dermal	Non-applicable	Non-applicable	121 mg/kg	Non-applicable
EC: 252-104-2	Inhalation	Non-applicable	Non-applicable	37,2 mg/m <sup>3</sup>	Non-applicable
2,4,7,9-tetramethyldec-5-yne-4,7-diol	Oral	0,75 mg/kg	Non-applicable	0,25 mg/kg	Non-applicable
CAS: 126-86-3	Dermal	0,75 mg/kg	Non-applicable	0,25 mg/kg	Non-applicable
EC: 204-809-1	Inhalation	1,29 mg/m <sup>3</sup>	Non-applicable	0,43 mg/m <sup>3</sup>	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m <sup>3</sup>	Non-applicable

PNEC:

Evochem

PNEC:				
Identification				
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water	19 mg/L
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water	1,9 mg/L
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	7,02 mg/kg
2,4,7,9-tetramethyldec-5-yne-4,7-diol	STP	7 mg/L	Fresh water	0,04 mg/L
CAS: 126-86-3	Soil	0,028 mg/kg	Marine water	0,004 mg/L
EC: 204-809-1	Intermittent	0,4 mg/L	Sediment (Fresh water)	0,32 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,032 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				

Sarety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ARMOR VARNISH** 24-03-14

Integration         Integration         Integration         Integration           Work dothing         Image: CEN Standard         Healted Biology and Standards         Healted Biology and Standards           Image: CEN Standard         Image: CEN Standards         Healted Biology and Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Image: CEN Standards         Healted Biology and Standards           Image: CEN Standards         Image: CEN Standards         Imag	SECTION 8: EXPOSURE	CONTROLS/PERSON	AL PROTECT	ION (continued)					
Work dotting         Control         Register before any velocities for provided copusate to the product of the the product	Pictogram	PPE	Labelling	CEN Standard	Remarks				
Image: Anti-site work shoes		Work clothing			periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO				
Standards       Energrency measure       Standards         IN 20 3864-1:2011, ISO 3864-4:2011         Diversion of the environment of the protection of the environment it is recommended to avoid environmental spilage of both the product and its container. For additional information see subsection 7.1.0         Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (density at 20 °C:       3/,98 % weight         V.O.C. density at 20 °C:       3/,98 kg/m³ (37,98 g/L)         Average molecular weight:       125,62 g/mol         With regard to Directive 2010/75/EU, this product which is ready to use has the following characteristics:         V.O.C. density at 20 °C:       65,25 kg/m² (65,25 g/L)         EU limit for the product (Cat. A.C): 40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         For complete information see the product datasheet:         Appearance:       Uiquid         Appearance:       Milky         Colour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic <td< td=""><td></td><td></td><td></td><td>EN ISO 20347:2012</td><td>periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations</td></td<>				EN ISO 20347:2012	periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations				
MSI 2398-1 Iso 3664-1:2011, 150 3864-4:2011       Image: Control State 1:2011, 150 3864-4:2011         DN 12 299 Iso 3664-1:2011, 150 3864-4:2011         Ervironmental exposure controls:         In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.0:         Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (supply):       3.69 % weight         V.O.C. density at 20 °C:       37.98 kg/m³ (37.98 gr/L)         Average molecular weight:         125,62 g/mol         With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:         V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 gr/L)         EU limit for the product (Cat. A.C.): 40 g/L (210)         Components:       Non-applicable         Eserction 9: PHYSICAL AND CHEMICAL PROPERTIES         For complete information see the product datasheet.         Appearance:       Milky         Physical state at 20 °C:       Liquid         Appearance:       Milky         Golour:       Characteristic         Odour:       Characteristic <td>F Additional emerge</td> <td>ency measures</td> <td></td> <td></td> <td></td>	F Additional emerge	ency measures							
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 3,69 % weight V.O.C. density at 20 °C: 37,98 kg/m³ (37,98 g/L) Average carbon number: 5,95 Average molecular weight: 125,62 g/mol With regard to Directive 2004/2/EC, this product which is ready to use has the following characteristics: V.O.C. density at 20 °C: 65,25 kg/m³ (65,25 g/L) EU limit for the product (Cat. A.C): 40 g/L (2010) Components: Non-applicable  SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES  SECTION 9: Optimized and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Codour threshold: Non-applicable  Volatility: Boiling point at atmospheric pressure: 103 °C Vapour pressure at 20 °C: 2341 Pa Vapour pressure at 50 °C: 2341 Pa Vapour		AN ISO 3864-1:20	ISI Z358-1		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011				
spillage of both the product and its container. For additional information see subsection 7.1.D Volatilie organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 3,69 % weight V.O.C. density at 20 °C: 37,98 kg/m³ (37,98 g/L) Average carbon number: 5,95 Average molecular weight: 125,62 g/mol With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics: V.O.C. density at 20 °C: 65,25 kg/m³ (65,25 g/L) EU limit for the product (Cat. A.C): 40 g/L (2010) Components: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid Appearance: Milky Colour: Coharacteristic Odour: Characteristic Volatility: Boiling point at atmospheric pressure: 103 °C Vapour pressure at 20 °C: Vapour pressure at 20 °C: Va	Environmental exp	osure controls:							
V.O.C. (Supply):       3,69 % weight         V.O.C. density at 20 °C:       37,98 kg/m³ (37,98 g/L)         Average carbon number:       5,95         Average molecular weight:       125,62 g/mol         With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:       V.O.C. density at 20 °C:         V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 g/L)       EU limit for the product (Cat. A.C): 40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1 Information on basic physical and chemical properties:         For complete information see the product datasheet.       Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       12330,62 Pa (12,33 kPa)         Vapour pressure at 20 °C:       Non-applicable *         Product description:       Li239,9 kg/m³	spillage of both the p	spillage of both the product and its container. For additional information see subsection 7.1.D							
V.O.C. density at 20 °C:       37,98 kg/m³ (37,98 g/L)         Average carbon number:       5,95         Average molecular weight:       125,62 g/mol         With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:       V.O.C. density at 20 °C:         V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 g/L)         EU limit for the product (Cat. A.C):       40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1 Information see the product datasheet:         Appearance:       Physical state at 20 °C:       Liquid         Appearance:       Milky       Colour:       Characteristic         Odour:       Characteristic       Non-applicable *       Volatility:         Bolling point at atmospheric pressure:       103 °C       Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       1230,62 Pa (12,33 kPa)       Evaporation rate at 20 °C:       Non-applicable *         Vapour pressure at 20 °C:       1230,62 Pa (12,33 kPa)       Evaporation rate at 20 °C:       Non-applicable *	With regard to Direct	ive 2010/75/EU, this pro	duct has the fol	lowing characteristics:					
Average carbon number:       5,95         Average molecular weight:       125,62 g/mol         With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:         V.O.C. density at 20 °C:       65,25 g/L)         EU limit for the product (Cat. A.C):       40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES:         For complete information see the product datasheet.         Appearance:       Liquid         Appearance:       Milky         Colour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Odour:       Characteristic         Valtility:       Bolling point at atmospheric pressure:         103 °C       Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       1230,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	V.O.C. (Supply):	V.O.C. (Supply): 3,69 % weight							
Average molecular weight:       125,62 g/mol         With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:         V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 g/L)         EU limit for the product (Cat. A.C):       40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1 Information on basic physical and chemical properties:         For complete information see the product datasheet.       Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       Characteristic         Odour:       Characteristic         Odour:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:         Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	V.O.C. density at								
With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:         V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 g/L)         EU limit for the product (Cat. A.C):       40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         For complete information on basic physical and chemical properties:         For complete information see the product datasheet.         Appearance:         Physical state at 20 °C:       Liquid         Appearance:       White         Colour:       Characteristic         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	Average carbon n								
V.O.C. density at 20 °C:       65,25 kg/m³ (65,25 g/L)         EU limit for the product (Cat. A.C):       40 g/L (2010)         Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES:         For complete information see the product datasheet.         Appearance:         Physical state at 20 °C:       Liquid         Appearance:       White         Colour:       Odour:         Odour:       Characteristic         Odour:       Characteristic         Odour:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Uayaba 20 °C:       1029,9 kg/m³	Average molecula	r weight: 125,	62 g/mol						
EU limit for the product (Cat. A.C): 40 g/L (2010) Components: Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1 Information on basic physical and chemical properties: For complete information see the product datasheet.         Appearance: Physical state at 20 °C: Colour: Odour: Odour: Odour: Odour: Odour threshold: Volatility: Boiling point at atmospheric pressure: 103 °C Vapour pressure at 20 °C: Vapour pressure at 20 °C: Vapour pressure at 20 °C: Vapour pressure at 50 °C: 12330,62 Pa (12,33 kPa) Evaporation rate at 20 °C: Non-applicable *         Product description: Density at 20 °C:       1029,9 kg/m³	With regard to Direct	ive 2004/42/EC, this pro	duct which is re	ady to use has the follow	ving characteristics:				
Components:       Non-applicable         SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1 Information on basic physical and chemical properties:         For complete information see the product datasheet.       Appearance:         Appearance:       Liquid         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       Odour:         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	V.O.C. density at	20 °C: 65,2	5 kg/m³ (65,25	ig/L)					
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES         9.1       Information on basic physical and chemical properties:         For complete information see the product datasheet.       Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       Milky         Colour:       Milky         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       Use and the product datasheet is a timospheric pressure:         Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:         Density at 20 °C:       1029,9 kg/m³	EU limit for the pr	roduct (Cat. A.C): 40 g/	L (2010)						
9.1       Information on basic physical and chemical properties:         For complete information see the product datasheet.         Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       White         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	Components:	Non-	applicable						
9.1       Information on basic physical and chemical properties:         For complete information see the product datasheet.         Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       White         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       Boiling point at atmospheric pressure:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 50 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³									
For complete information see the product datasheet.         Appearance:         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       White         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	SECTION 9: PHYSICAL A	AND CHEMICAL PRO	PERTIES						
Appearance:       Liquid         Physical state at 20 °C:       Liquid         Appearance:       Milky         Colour:       White         Odour:       Characteristic         Odour threshold:       Non-applicable *         Volatility:       103 °C         Vapour pressure at 20 °C:       2341 Pa         Vapour pressure at 20 °C:       12330,62 Pa (12,33 kPa)         Evaporation rate at 20 °C:       Non-applicable *         Product description:       Density at 20 °C:       1029,9 kg/m³	9.1 Information on bas	sic physical and chem	ical properties	5:					
Physical state at 20 °C:LiquidAppearance:MilkyColour:WhiteOdour:CharacteristicOdour threshold:Non-applicable *Volatility:103 °CBoiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:I029,9 kg/m³	For complete informa	tion see the product dat	asheet.						
Appearance:MilkyColour:WhiteOdour:CharacteristicOdour threshold:Non-applicable *Volatility:103 °CBoiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1029,9 kg/m³									
Colour:WhiteOdour:CharacteristicOdour threshold:Non-applicable *Volatility:I03 °CBoiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:I029,9 kg/m³	Physical state at 20 °	C:							
Odour:CharacteristicOdour threshold:Non-applicable *Volatility:Non-applicable *Boiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:I029,9 kg/m³	Appearance:		Milky	/					
Odour threshold:Non-applicable *Volatility:Non-applicable *Boiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:Non-applicable *Density at 20 °C:1029,9 kg/m³	Colour:			White					
Volatility:Boiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1029,9 kg/m³	Odour:		Char	acteristic					
Boiling point at atmospheric pressure:103 °CVapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:Density at 20 °C:1029,9 kg/m³	Odour threshold:		Non-	-applicable *					
Vapour pressure at 20 °C:2341 PaVapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1029,9 kg/m³	Volatility:								
Vapour pressure at 50 °C:12330,62 Pa (12,33 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1029,9 kg/m³	Boiling point at atmos	spheric pressure:	103	°C					
Evaporation rate at 20 °C:Non-applicable *Product description:1029,9 kg/m³	Vapour pressure at 2	0 °C:	2341	l Pa					
Product description:Density at 20 °C:1029,9 kg/m³	Vapour pressure at 5	0 °C:	1233	30,62 Pa (12,33 kPa)					
Density at 20 °C: 1029,9 kg/m <sup>3</sup>	Evaporation rate at 2	0 °C:	Non-	applicable *					
	Product description	n:							
Relative density at 20 °C: 1,03	Density at 20 °C:		1029	9,9 kg/m³					
	Relative density at 20	) °C:	1,03						
*Not relevant due to the nature of the product, not providing information property of its hazards.	*Not relevant due to the r	nature of the product, not pro	viding information p	property of its hazards.					

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# **Evochem**<sup>®</sup>

# ARMOR VARNISH 24-03-14

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	(continued)
	Dynamic viscosity at 20 °C:	1200 - 1800 cP
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	1000 g/L (active ingredient)
	pH:	6 - 7
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	189 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	New Analysis and the second
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.
CEG	TION 10: STABILITY AND REACTIVITY	

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction Contact with air		Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Not applicable	Not applicable Not applicable		
10.5	Incompatible materials	:				
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# **Evochem**<sup>®</sup>

### ARMOR VARNISH 24-03-14

# SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Polypropylene (3); propan-2-ol (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# Evochen

### **ARMOR VARNISH** 24-03-14

#### **Other information:** Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus Dipropylene Glycol Methyl Ether LD50 oral >5000 mg/kg Rat LD50 dermal 9510 mg/kg Rabbit CAS: 34590-94-8 EC: 252-104-2 LC50 inhalation Non-applicable 500 mg/kg 1,2-benzisothiazol-3(2H)-one LD50 oral Rat CAS: 2634-33-5 LD50 dermal Non-applicable EC: 220-120-9 LC50 inhalation Non-applicable reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one LD50 oral 64 mg/kg Rat (3:1)CAS: 55965-84-9 LD50 dermal 87,12 mg/kg Rabbit 0,33 mg/L (4 h) EC: Non-applicable LC50 inhalation Rat reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one LD50 oral 64 mg/kg Rat (3:1)CAS: 55965-84-9 LD50 dermal 87,12 mg/kg Rabbit 0,33 mg/L (4 h) EC: Non-applicable LC50 inhalation Rat 11.2 Information on other hazards:

#### **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

**Other information** 

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

Acute toxicity:

Identification			Concentration	Species	Genus
Dipropylene Glycol Methyl Ether		LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8		EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2		EC50	Non-applicable		

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# **Evochem**<sup>®</sup>

# ARMOR VARNISH 24-03-14

# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
2,4,7,9-tetramethyldec-5-yne-4,7-diol	LC50	>10 - 100 (96 h)		Fish
CAS: 126-86-3	EC50	>10 - 100 (48 h)		Crustacear
EC: 204-809-1	EC50	>10 - 100 (72 h)		Algae
1,2-benzisothiazol-3(2H)-one	LC50	2,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2634-33-5	EC50	3 mg/L (48 h)	Daphnia magna	Crustacear
EC: 220-120-9	EC50	0,067 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacear
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacear
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae

#### Chronic toxicity:

Identification		Concentration		Species	Genus
Dipropylene Glycol Methyl Ether	NOEC	Non-applicable			
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L		Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

Identification	De	egradability	Biodegradability		
Dipropylene Glycol Methyl Ether	BOD5	Non-applicable	Concentration	Non-applicable	
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days	
EC: 252-104-2	BOD5/COD	Non-applicable	% Biodegradable	73 %	
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L	
CAS: 2634-33-5	COD	Non-applicable	Period	28 days	
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %	

# **12.3** Bioaccumulative potential:

Identification			Bioaccumulation potential	
Dipropylene Glycol Methyl Ether		BCF	1	
CAS: 34590-94-8		Pow Log	-0.06	
EC: 252-104-2		Potential	Low	
1,2-benzisothiazol-3(2H)-one		BCF	2	
CAS: 2634-33-5		Pow Log	1.45	
EC: 220-120-9		Potential	Low	
Mahility in sails				

### 12.4 Mobility in soil:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# **Evochem**<sup>®</sup>

### ARMOR VARNISH 24-03-14

# SECTION 12: ECOLOGICAL INFORMATION (continued)

#### Not available

# **12.5** Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:** Endocrine-disrupting properties: The product fails to meet the criteria.

# 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), (ethylenedioxy)dimethanol, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13); reaction mass of 5chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13); reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

Specific provisions in terms of protecting people or the environment:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# **Evochem**<sup>®</sup>

### ARMOR VARNISH 24-03-14

# SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

# Classification procedure:

Non-applicable

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

- BOD5: 5day biochemical oxygen demand
- BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer



# ARMOR VARNISH 24-03-14

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.